

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1 - IDENTIFICATION

1.1 Product Identifier

Product Name : Synthetic - Doe P - Aerosol
 Manufacturer Product Number : FM-10144-003
 Supplier Product Numbers : 200025

1.2 Other Means of Identification

Other Identifiers : Not Available

1.3 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use : Deer Attractant
 Restrictions on Use : None Identified

1.4 Supplier Details

	Manufacturer Details	Supplier Details
Company Name	Chem-Pak Inc	Buck Bomb Inc.
Address	242 Corning Way, Martinsburg, WV 25405 - United States	6000 Huntington Ct. NE, Cedar Rapids IA 52402 - United States
Phone Number	304-262-1880	319-395-0321
Fax Number	304-262-9643	
Email	msds@chem-pak.com	
Website	http://www.chem-pak.com	

1.5 24 hr Emergency Phone Number

Emergency Number : 800-255-3924

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

Flam. Aerosol 2	H223	Physical Hazards	Flammable aerosol Category 2
Press. Gas (Comp.)	H280	Physical Hazards	Gases under pressure Compressed gas
Skin Irrit. 2	H315	Health Hazards	Skin corrosion/irritation Category 2
Eye Irrit. 2	H319	Health Hazards	Serious eye damage/eye irritation Category 2
Repr. 2	H361	Health Hazards	Reproductive toxicity Category 2

2.2 Label Elements

Hazard Pictograms



Signal Word

Warning

Hazard Statements

H223 : Flammable aerosol
 H280 : Contains gas under pressure; may explode if heated
 H315 : Causes skin irritation
 H319 : Causes serious eye irritation
 H361 : Suspected of damaging fertility or the unborn child

Precautionary Statements

P202 : Do not handle until all safety precautions have been read and understood.
 P210 : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 P211 : Do not spray on an open flame or other ignition source.
 P251 : Pressurized container: Do not pierce or burn, even after use.



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 2/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P264 : Wash hands thoroughly after handling.
P280 : Wear protective gloves and eye protection.
P302+P352 : If on skin: Wash with plenty of water
P305+P351+P338 : If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 : If exposed or concerned: Get medical advice/attention.
P332+P313 : If skin irritation occurs: Get medical advice/attention.
P337+P313 : If eye irritation persists: Get medical advice/attention.
P362+P364 : Take off contaminated clothing and wash it before reuse.
P403 : Store in a well-ventilated place.
P410+P412 : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 : Dispose of contents/container to applicable regulations

2.3 Other Hazards Which Do Not Result In Classification

Hazards Not Otherwise Classified : None Identified.

2.4 Unknown acute toxicity

25% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
25% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
74.15% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance / Mixture

Substance / Mixture : Mixture

3.2 Composition

Substance name	CAS Number	% wt*	Classification
Hexylene Glycol	107-41-5	>= 60	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Dimethyl Ether	115-10-6	10 - 30	Flam. Gas 1, H220 Press. Gas (Diss.), H280
Phenylacetic Acid	103-82-2	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 - FIRST-AID MEASURES

4.1 Description of First-Aid Measures

- General Measures** : If exposed or concerned: Get medical advice/attention.
Inhalation : Remove person to fresh air and keep comfortable for breathing.
Skin Contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
Eye Contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion : Call a poison center or a doctor if you feel unwell.
First-Aid Responder Protection : Wear adequate personal protective equipment based on the nature and severity of the emergency.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms of Exposure** : Eye Irritation, Eye Damage, Nose Irritation, Throat Irritation, Anorexia, Weight Loss, Lassitude (Weakness), Muscle Ache, Dark Urine, Cyanosis, Liver Damage, Kidney Damage, Skin Burns, Dermatitis, Ochronosis, Convulsions, Irritation of the Mucous Membranes, Central Nervous System Depression, Confusion, Respiratory Irritation, Dyspnea (Breathing Difficulty), Pancreas Damage, Skin Irritation, Headache, Dizziness, Nausea, Incoordination.
Delayed Effects : No known delayed effects.



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 3/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Immediate Effects : Aspiration hazard.
Chronic Effects : No known chronic effects.
Target Organs : Cardiovascular System, Central Nervous System, Eyes, Liver, Respiratory System, Skin, Kidneys, Pancreas.

4.3 Indication of Immediate Medical Attention and Special Treatment

Notes to Physician : Treat symptomatically.
Specific Treatments/Antidotes : No Information Available.
Medical Conditions Aggravated : May aggravate personnel with pre-existing disorders associated with any of the Target Organs.

SECTION 5 - FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media

Extinguishing Media : Water, carbon dioxide, dry chemical, universal aqueous film forming foam.
Unsuitable Media : Water jet.

5.2 Specific Hazards Arising from the Chemical or Mixture

Hazardous Combustion Products : Decomposition products may include: oxides of carbon, smoke, vapors. See also Section 10.6.
Specific Hazards During Firefighting : Flammable. Contents under pressure. In a fire or if heated, a pressure increase will occur which may result in container bursting. Vapors heavier than air may spread along the ground and travel to an ignition source.

5.3 Special Protective Actions for Fire-Fighters

Firefighting Instructions : Use water spray to cool fire exposed aerosol containers, as contents can rupture violently from heat developed pressure.
Protection during Firefighting : Firemen should wear self-contained breathing apparatus with full face-piece operated in positive pressure mode.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

For Non-Emergency Personnel : No action should be taken involving any personnel without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spill. Remove ignition sources and provide adequate ventilation only if it is safe to do so.
For Emergency Personnel : Use personal protection as recommended in Section 8. Observe precautions provided for non-emergency personnel above.

6.2 Environmental Precautions

Environmental Precautions : Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

6.3 Methods and Materials for Containment and Cleaning up

Containment Procedures : Product is an aerosol, therefore spills and leaks are unlikely. In case of rupture, released content may be contained with oil/solvent absorbent pads, socks, and/or absorbents.
Cleanup Procedures : Spills from aerosol cans are unlikely and are generally of small volume. Large spills are therefore not normally considered a problem. In case of actual rupture, avoid breathing vapors and ventilate area well. Remove sources of ignition and use non-sparking equipment. Soak up material with inert absorbent and place in safety containers for proper disposal.
Other Information : Aerosol products represent a limited hazard and will not spill or leak unless ruptured. In case of rupture contents are generally evacuated from the can rapidly. Area should be ventilated immediately and continuous ventilation provided until all fumes and vapors have been removed. Aerosol cans should never be incinerated or burned.
Prohibited Materials : Combustible absorbent material such as sawdust. Use of equipment that may cause sparking.

SECTION 7 - HANDLING AND STORAGE



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 4/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.1 Precautions for Safe Handling

- General Handling Precautions** : KEEP OUT OF THE REACH OF CHILDREN. Avoid prolonged or repeated skin contact. Avoid breathing of vapors. Do not incinerate (burn) containers. Always replace overcap when not in use. Avoid use around open flames or other sources of ignition. Exposure to heat or prolonged exposure to sun may cause can to burst. Use only with adequate ventilation, opening doors or windows to achieve cross-ventilation.
- Hygiene Recommendations** : Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating or smoking areas. Wash hands thoroughly after use.

7.2 Conditions for Safe Storage Including Any Incompatibilities

- Storage Requirements** : Storage of individual cans should be done in an area below 55°C (120 °F), and away from heat sources. Ensure can is in a secure place to prevent knocking over and accidental rupture. For storage of pallet quantities, compliance with NFPA 30B (Manufacture and Storage of Aerosol Products) is recommended.
- Incompatibilities** : Segregate storage away from materials indicated in Section 10.
- NFPA 30B Classification** : This product is classified as a Level 2 Aerosol per NFPA 30B

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Dimethyl Ether (115-10-6)

AIHA	WEEL TWA (ppm)	1000 ppm
Manufacturer Recommended	Recommended PEL (TWA) (ppm)	1000 ppm (Dupont AEL)

Hexylene Glycol (107-41-5)

ACGIH	ACGIH STEL (mg/m ³)	25 ppm
NIOSH	NIOSH REL (ceiling) (ppm)	25 ppm
California	California PEL (Ceiling) (mg/m ³)	125 mg/m ³
California	California PEL (Ceiling) (ppm)	25 ppm

8.2 Exposure Controls

- Engineering Measures** : Use only with adequate ventilation. General ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Local exhaust ventilation or an enclosed handling system may be necessary to control air contamination below that of the lowest OEL from the table above.
- Personal Protective Equipment**
- Eye / Face Protection** : Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling. Where eye contact with this material could occur, chemical splash proof goggles are recommended.
- Hand Protection** : Chemical-resistant gloves, tested according to ASTM F903 - 17.
- Remarks** : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to the place of work.
- Skin and Body Protection** : For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or repeated contact could occur, use protective clothing impervious to the ingredients listed in Section 2.
- Respiratory Protection** : An approved respirator with an organic vapor cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed occupational exposure limits.
- Compliance** : If needed, compliance with OSHA standard 29 CFR 1910.134 is necessary.
- Other Protective Equipment** : Safety showers and eye-wash stations should be available in the workplace near where the material will be used.
- Environmental Exposure Controls** : Avoid release to the environment.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Properties

Boiling Point	> 181.00 °C	Melting / Freezing Point	> -50.00 °C
Flash Point, Liquid	> 80.00 °C	Flash Point, Propellant	-42.00 °C
Explosive Limits	LEL: 1.10 UEL: 8.10 vol %	Autoignition Temperature, Liquid	<= 0.00 °C
Flammability	Flammable Aerosol	Density	0.838 g/cm ³
Molecular Weight	Not Available	Weight	6.993 lbs/gal
Vapor Pressure	Not Available	pH	Not Available



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 5/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor Density	Not Available	Evaporation Rate (nBAC=1)	Not Available
Viscosity	Not Available	Partition Coefficient (Log Pow)	Not Available
Odor Threshold	Not Available	Refractive Index	Not Available
Physical State	Pressurized Product	Heat Of Combustion	10671.01 BTU/lb
Appearance / Color	Clear, Colorless	Water Solubility	Not Available
Odor	Characteristic	Decomposition Temperature	Not Available

9.2 Environmental Properties

Percent Volatile	99.76 % wt	VOC Regulatory	836.24 g/L (6.98 lbs/gal)
Percent VOC	25.62 % wt	VOC Actual	214.69 g/L (1.79 lbs/gal)
Percent HAP	0.62 % wt	HAP Content	5.20 g/L (0.04 lbs/gal)
Global Warming Potential	0.25 GWP	Maximum Incremental Reactivity	1.2950 g O3/g
Ozone Depletion Potential	0.00 ODP		

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity : No specific test data related to reactivity is available for this products or its ingredients.

10.2 Chemical Stability

Chemical Stability : This product is stable.

10.3 Possibility of Hazardous Reactions

Hazardous Reactions : Under normal conditions of storage and use, hazardous reactions are not expected to occur.

10.4 Conditions to Avoid

Conditions to Avoid : Other Ignition Sources, Temperatures above 140°F (60°C), Hot Surfaces, Heat, Flames, Sparks.

10.5 Incompatible Materials

Materials to Avoid : Strong Oxidizing Agents, Strong Reducing Agents, Strong Acids, Calcium Hypochlorite, Aluminum Chloride, Acids.

10.6 Hazardous Decomposition Products

Thermal Decomposition : Oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Dimethyl Ether (CAS: 115-10-6 / EC: 204-065-8)

LC50 Inhalation (Rat) : 164000 ppm/4h (RTECS)

Hexylene Glycol (CAS: 107-41-5 / EC: 203-489-0)

LD50 Oral (Rat) : 3700 mg/kg (RTECS)

LD50 Dermal (Rabbit) : 7890 mg/kg (GESTIS Substance Database)

Phenylacetic Acid (CAS: 103-82-2 / EC: 203-148-6)

LD50 Oral (Rat) : 2250 mg/kg (ChemInfo)

LD50 Dermal (Rabbit) : > 5000 mg/kg (ChemInfo)

Routes Of Exposure : Eye Contact, Ingestion, Skin Contact, Inhalation, Skin Absorption.

Delayed and Immediate Effects and Also Chronic Effects from Short and Long Term Exposure : See Section 4.2

Skin Corrosion/Irritation : Causes skin irritation.

Eye Damage/Irritation : Causes serious eye irritation.

Respiratory or Skin Sensitization : Not classified



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 6/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Germ Cell Mutagenicity	: Not classified
Reproductive Toxicity	: Suspected of damaging fertility or the unborn child.
STOT-Single Exposure	: Not classified
STOT-Repeated Exposure	: Not classified
Aspiration Hazard	: Not classified
Vaporizer	: Aerosol
Carcinogen Data	: None of the ingredients in the product are listed with EU, IARC, or NTP as being suspected or known carcinogen in a concentration greater than 0.1% by weight.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Ecotoxicity and Ecological Properties

Dimethyl Ether (115-10-6)

Persistence and Degradability	Biodegradability 7% / 28 days.
Log Pow	0.1 (Experimental value; 0.07; QSAR; KOWWIN; 25 °C)
Bioaccumulative Potential	Low potential for bioaccumulation (Log Kow < 4).

Hexylene Glycol (107-41-5)

LC50 Fish	8510 mg/l Mosquito Fish - 96hr
EC50 Daphnia	3200 mg/l Water Flea - 48hr
Persistence and Degradability	Biodegradability 70% / 28 days.
Biochemical Oxygen Demand	0.02 g O ₂ /g substance
Chemical Oxygen Demand	2.2 g O ₂ /g substance
Theoretical Oxygen Demand	2.3 g O ₂ /g substance
Log Pow	0.58 (QSAR)
Bioaccumulative Potential	Low potential for bioaccumulation (Log Kow < 4).

Phenylacetic Acid (103-82-2)

LC50 Fish	1.273 mg/l Golden Orfe - 96hr
EC50 Daphnia	11 mg/l Water Flea - 24hr
Persistence and Degradability	Biodegradability 96% / 28 days.
BCF Fish	3 (BCF)
Log Pow	1.41 (Experimental value)
Bioaccumulative Potential	Low potential for bioaccumulation (BCF < 500).

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Waste Disposal	: Characteristics and waste stream classification can change with product use and location. It is the responsibility of the user to determine the proper storage, transportation, treatment, and/or disposal methodologies for spent materials and residues at the time of disposition. All waste must be disposed of in compliance with the respective national, federal, state, and/or local regulations.
Waste Disposal Of Packaging	: In the United States, an aerosol container that does not contain a significant amount of liquid would meet the definition of scrap metal (40 CFR 261.1(c)(6)), and would be exempt from RCRA regulation under 40 CFR 261.6(a)(3)(iv) if it is to be recycled. If containers are to be disposed of (not recycled) it must be managed under all applicable RCRA and state regulations.
Landfill Precautions	: Not Available.
Incineration Precautions	: ** DO NOT INCINERATE ** CONTENTS UNDER PRESSURE **.

SECTION 14 - TRANSPORTATION INFORMATION

14.1 UN Number

UN Number	: UN1950	UN1950	UN1950
-----------	----------	--------	--------

14.2 UN Proper Shipping Name

UN Proper Shipping Name	: Aerosols, Limited Quantity	Aerosols, Flammable, Limited Quantity	Aerosols, Limited Quantity
-------------------------	------------------------------	---------------------------------------	----------------------------



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
 Revision Date: 2/15/2018
 Supersedes Date: 2/15/2018
 Issue Date: 2/15/2018
 Version: 1.0 (EN)-US
 Page: 7/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3 Transport Hazard Class(es)	DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Transport Hazard Class(es)	2.1	2.1	2.1
Labels	None	2.1 - Flammable gas	None
Limited Quantity	Yes 	Yes 	Yes
EmS Code	Not Applicable	Not Applicable	F-D,S-U

14.4 Packing Group	DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Packing Group	None	None	None

14.5 Environmental Hazards	DOT (USA)	IATA (AIR)	IMDG (OCEAN)
Marine Pollutant	No	No	No

14.6 Special Precautions	
Precautions	: None Identified

14.7 Transport in Bulk	
Remarks	: Not applicable for product as supplied

SECTION 15 - REGULATORY INFORMATION

15.1 Federal Regulations

SARA Section 313	: Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.									
	<table border="1"> <tbody> <tr> <td>p-Cresol</td> <td>CAS-No. 106-44-5</td> <td>< 1%</td> </tr> <tr> <td>Cresol (Mixed Isomers)</td> <td>CAS-No. 1319-77-3</td> <td>< 1%</td> </tr> <tr> <td>Phenol</td> <td>CAS-No. 108-95-2</td> <td>< 1%</td> </tr> </tbody> </table>	p-Cresol	CAS-No. 106-44-5	< 1%	Cresol (Mixed Isomers)	CAS-No. 1319-77-3	< 1%	Phenol	CAS-No. 108-95-2	< 1%
p-Cresol	CAS-No. 106-44-5	< 1%								
Cresol (Mixed Isomers)	CAS-No. 1319-77-3	< 1%								
Phenol	CAS-No. 108-95-2	< 1%								
TSCA Section 12(b)	: This product or mixture is not known to contain a chemical or chemicals subject to the export notification requirements of section 12(b) of the Toxic Substances Control Act (TSCA) and 40 CFR Part 707, subpart D									
CERCLA Reportable Quantity	: Chemical(s) subject to reporting requirements of Section 102 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) if released to the environment at or above the reportable quantity									
	<table border="1"> <tbody> <tr> <td>p-Cresol</td> <td>CAS-No. 106-44-5</td> <td>100 lb</td> </tr> <tr> <td>Cresol (Mixed Isomers)</td> <td>CAS-No. 1319-77-3</td> <td>100 lb</td> </tr> <tr> <td>Phenol</td> <td>CAS-No. 108-95-2</td> <td>1000 lb</td> </tr> </tbody> </table>	p-Cresol	CAS-No. 106-44-5	100 lb	Cresol (Mixed Isomers)	CAS-No. 1319-77-3	100 lb	Phenol	CAS-No. 108-95-2	1000 lb
p-Cresol	CAS-No. 106-44-5	100 lb								
Cresol (Mixed Isomers)	CAS-No. 1319-77-3	100 lb								
Phenol	CAS-No. 108-95-2	1000 lb								
SARA Section 311/312 Hazard Classes	: None under normal use.									
TSCA Inventory (United States)	: All chemical substances in this product are either listed on the Toxic Substances Control Act (TSCA) Inventory or are in compliance with a TSCA Inventory exemption.									

15.2 State Regulations

California Proposition 65	: This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm				
State Right-to-Know Lists	: The following chemical(s) appear on one or more state RTK (Right to Know) lists as indicated				
	<table border="1"> <tbody> <tr> <td>Dimethyl Ether (115-10-6)</td> <td>U.S. - New Jersey - Right to Know Hazardous Substance List</td> </tr> <tr> <td>Hexylene Glycol (107-41-5)</td> <td>U.S. - New Jersey - Right to Know Hazardous Substance List</td> </tr> </tbody> </table>	Dimethyl Ether (115-10-6)	U.S. - New Jersey - Right to Know Hazardous Substance List	Hexylene Glycol (107-41-5)	U.S. - New Jersey - Right to Know Hazardous Substance List
Dimethyl Ether (115-10-6)	U.S. - New Jersey - Right to Know Hazardous Substance List				
Hexylene Glycol (107-41-5)	U.S. - New Jersey - Right to Know Hazardous Substance List				



SAFETY DATA SHEET

Part No. FM-10144-003 (Aerosol)

Print Date: 2/15/2018
Revision Date: 2/15/2018
Supersedes Date: 2/15/2018
Issue Date: 2/15/2018
Version: 1.0 (EN)-US
Page: 8/8

Synthetic Doe P

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<i>p-Cresol (106-44-5)</i>	<i>U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List</i>
<i>Cresol (Mixed Isomers) (1319-77-3)</i>	<i>U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List</i>
<i>Phenol (108-95-2)</i>	<i>U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List</i>

SECTION 16 - OTHER INFORMATION

Indication of changes

Section	Changed item	Change
1	Created Safety Data Sheet - Revision 1	Added

Full Text of H-Statements

H Code	H Phrase
H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life

Disclaimer of Liability

The information contained herein is based upon data provided to us by our suppliers, and reflects our best judgement. However, no warranty of merchantability, fitness for any use, or any other warranty or guarantee is expressed or implied regarding the accuracy of such data, or the results to be obtained from use thereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, we do not assume any responsibility for the results of such application. This information is furnished upon the condition that the persons receiving it shall make their own determinations of the suitability of the material for any particular use. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist.